

Package: iGSEA (via r-universe)

September 18, 2024

Type Package

Title Integrative Gene Set Enrichment Analysis Approaches

Version 1.2

Date 2017-05-07

Author Wentao Lu, Xinlei Wang, Xiaowei Zhan

Maintainer Wentao Lu <wlu1026@yahoo.com>

Description To integrate multiple GSEA studies, we propose a hybrid strategy, iGSEA-AT, for choosing random effects (RE) versus fixed effect (FE) models, with an attempt to achieve the potential maximum statistical efficiency as well as stability in performance in various practical situations. In addition to iGSEA-AT, this package also provides options to perform integrative GSEA with testing based on a FE model (iGSEA-FE) and testing based on a RE model (iGSEA-RE). The approaches account for different set sizes when testing a database of gene sets. The function is easy to use, and the three approaches can be applied to both binary and continuous phenotypes.

License GPL-2

NeedsCompilation no

Date/Publication 2017-05-12 23:12:53 UTC

Repository <https://luwt.r-universe.dev>

RemoteUrl <https://github.com/cran/iGSEA>

RemoteRef HEAD

RemoteSha 5a4150b8208c3bfaf5e131c358196a4185683aea

Contents

iGSEA-package	2
Index	5

Description

This package provides three approaches, testing based on an fixed-effect (FE) model (iGSEA-FE), testing based on a random-effect (RE) model (iGSEA-RE), and adaptive testing (iGSEA-AT) to integrate multiple gene set enrichment studies. These approaches can be applied to both binary and continuous phenotypes. The output of the function will be the Q-values of gene sets to control the false discovery rate (FDR). We recommend iGSEA-AT due to its stability in performance in various practical situations.

Usage

```
igsea.test(gel, pheno, ssize, gind, gsind, B = 500,
           vtype = "binary", method = "AT", alpha1 = 0.0253, pihat = 1)
```

Arguments

gel	a numeric matrix of gene expression levels merged from component studies. Rows represent genes and columns represent samples.
pheno	a numeric vector of phenotypes merged from component studies.
ssize	a numeric vector indicating the number of samples in each study.
gind	a matrix indicating if genes are included in studies. Use 1 as included and 0 as not. Rows represent genes and columns represent studies.
gsind	a matrix indicating if genes belongs to gene sets. Use 1 as in a gene set and 0 as not. Rows represent genes and columns represent gene sets.
B	an integer indicating the times of shuffling gene labels in order to compute the permuted enrichment scores. It is 500 by default.
vtype	a character string specifying the type of phenotypes. It can only be "binary" or "continuous" at this moment.
method	a character string specifying the approach you want to use, must be one of "AT" (default), "FE", or "RE".
alpha1	a number indicating the first-stage significance level for iGSEA-AT. It is 0.0253 by default.
pihat	a number indicating a rough estimate of the proportion of non-enriched sets. It is 1 by default.

Details

Package: iGSEA
 Type: Package
 Version: 1.2


```

GS <- matrix(0, 200, 2)
GS[c(1:20, 151:180), 1] <- 1 #gene set 1 is enriched
GS[c(31, 80), 2] <- 1 #gene set 2 is non-enriched
igsea.test(G, P, S, I, GS) #the output vector consists of two Q-values for the gene sets

#A similar normal example is also provided below:
set.seed(1234)
G <- matrix(rnorm(200 * 60), c(200, 60)) #200 genes and 60 samples in total
P <- rnorm(60) #phenotypes
S <- c(10, 10, 20, 20) #the number of samples in each study
rho_raw <- matrix(0, 200, 4)
for (i in 1:40) rho_raw[i, ] <- rnorm(4, mean = 0.3, sd = 0.1)
beta <- matrix(0, 200, 60)
for (i in 1:200) beta[i, ] <- beta[i, ] + c(rep(rho_raw[i, 1], 10), rep(rho_raw[i, 2], 10),
rep(rho_raw[i, 3], 20), rep(rho_raw[i, 4], 20))
for (i in 1:200) {
  for (j in 1:60){
    G[i, j] <- rnorm(1, mean = beta[i, j] * P[j], sd = sqrt(1 - beta[i, j] ^ 2))
  }
}
I <- matrix(rep(1, 200*4), 200) #all genes are included in 4 studies
GS <- matrix(0, 200, 2)
GS[c(1:20, 151:180), 1] <- 1 #gene set 1 is enriched
GS[c(31, 80), 2] <- 1 #gene set 2 is non-enriched
igsea.test(G, P, S, I, GS, vtype = "continuous")

```

Index

- * **GSEA**

- igSEA-package, [2](#)

- * **adaptive testing**

- igSEA-package, [2](#)

- * **meta-analysis**

- igSEA-package, [2](#)

igSEA (igSEA-package), [2](#)

igSEA-package, [2](#)

igsea.test (igSEA-package), [2](#)